

## HID IME E FE ALG H CA E I G EM LA E

CLI ICALI DICA I
Previously established gestational age: [ ] Established EDD [ ]
BPD: [] cm ([] percentile) HC: [] cm ([] percentile) AC: [] cm ([] percentile) FL: [] cm ([] percentile)
F ta art rat : [] bpm (normal range 110-170)
r s ntat.on, if breech, describe hip position [extension/flexion] describe knee position [extension/flexion]
F ta, ov, nts: [normal activity / decreased activity] (Comment if fetal breathing and limb movements seen)*
Est. at taw. t: [] grams on the [] percentile, specify chart used and if customised Previous EFW measurement and date if applicable: []  N.B. growth chart demonstrating trajectory of previous EFW should be provided if possible in the report
<b>bca</b> Art ry: Pulsatility Index [] ([] percentile) +/- RI. As a minimum, the PI must be reported.
<b>bca art ry n</b> : diastolic flow present / absent / reversed
C r bra Art ry: Pulsatility Index [] ([] percentile), Perform if especifically requested esigns of suboptimal fetal growth (EFW at or below the 10 <sup>th</sup> centile) or if the -UA PI is >95 <sup>th</sup> centile
AFI [ ] (5-25 normal) Deepest pocket [ ]cm
ac nta s.t : [ ][<>] mm from the internal cervical os.
C rv_x: [ ]mm closed length, only if requested
Limited <b>anato y surv y</b> within the limits of late gestation, fetal lie, and maternal conditions.
C CL I Fetal EFW is on the [ ] percentile. Reassuring well-being with fetal biometry in normal range.

If <10th centile, small for gestational age and if >90th centile, large for gestational age

percentile (see appended growth chart).

If applicable: previous scan on date (DD/MM/YYYY) demonstrated the EFW to be on the [ ]

## EX LA A Y E

## CLI ICAL I DICA I

Previously established gestational age: [ ] Established EDD []

FI DI G